Harmonica harmonicatabs.net

HARMONICA TAB LIBRARY

Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

How to Clean a Harmonica

You have a harmonica and You want to know *How to Clean a Harmonica*? Harmonica maintenance can be a delicate matter because of how fragile the inside of the instrument is. Follow these tips to successfully clean your harmonica.

Regular cleaning is essential with regards to many musical instruments. This also true for wind instruments, because the saliva left out can be detrimental.

Harmonica's are no exception to the rule. The difficulty is many people don't understand how to properly clean a harmonica. And without regular thoroughly cleaning, the reeds and combs may become caked with all sorts of nastiness. THIS CAN affect the ability for the reeds to sound the correct note, if any at all.

I've been playing harmonica as a hobby now for a couple decades. Regular, quick cleanings have helped keep my harp working like new.

Harmonicas that haven't been routinely maintained might need a more thorough clethening. That's what we'll be concentrating on here. In the case below I have two diatonic Hohner's which have been played by toddlers for nearly 2 yrs and need some serious TLC!



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

How to Clean a Harmonica

[toc]

How to clean a harmonica without taking it apart?

Before getting into deep cleaning, there's one preventative step to take to really keep your instrument in great shape: avoid eating before playing! And if you do eat first, rinse the mouth area out thoroughly, or better still, brush your teeth.

This simple step will keep your harmonica from ever being too much of a hassle to clean. Your harp will stay much cleaner simply by keeping your mouth clean before playing.

Limiting the amount of moisture left in your harmonica after playing is another important and easy solution to keep it clean. Every time you finish playing the harmonica give it a good tap with the holes against your hand to knock out just as much saliva out as possible.

If you have a plastic, metal or sealed harmonica, you can even run it under lukewarm water after each use. But be sure to tap the water out to dry it whenever you can when following this method. Moisture is our enemy in this example.



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

Supplies you'll need for cleaning a harmonica

Below is a list of some supplies that will help you give your harmonica a deep clean:



- A clean towel
- Proper screwdriver
- A bowl or pan to soak the reed plates
- Lemon juice or vinegar for soaking
- Baking soda (optional)
- A soft toothbrush or makeup brush



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

- Dental tools (nothing to sharp)
- Isopropyl (rubbing) alcohol/alcohol spray

There are also harmonica cleaning kits available with nice spatula-like blades to greatly help clean under the reeds. But you'll generally be fine with just a toothbrush and a soaking. If you're missing a number of the supplies above, you can still give your harmonica a good deep thoroughly clean with a light acidic cleaner and a soft brush.

I like to use a dull dental tool to help remove any tough chunks (on the rare occasions I find them). But to be clear, this can ruin a reed and damage the wood comb. Even flat spatula blades can perform damage to your harmonica with an excessive amount of force.

Give your harmonica a deep cleaning in 7 steps

Depending on how often you play, your harp might need a deep cleaning every three to six months. I'd also suggest a heavy cleaning before playing any used harmonica you may buy.

The deep cleaning method below works for diatonic, octave and tremolo harmonicas. We won't address chromatic harmonicas for now, as those are less common and involve more steps.

Expect cleaning a harmonica to take at least one hour from disassembling, soaking, cleaning, drying and reassembling.



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

1. Disassemble the harmonica



I have two diatonic Hohner Blues Harp harmonicas (C and G) my children have manhandled and need cleaning. Although it may take less time to clean them together, I'll be cleaning them separately to avoid potentially switching parts by mistake. We don't need a C harmonica with G reeds!

Pick one harp and start to take it apart. Often the screws on the top and bottom interlock with one another. So as you unscrew the top, the bottom will come out at the same time. Be sure to keep track of which screws belong where.



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

Now remove the reed plate screws and set them aside so you know the exact order to replace them in. As I take the harmonica apart, I keep the parts in a strict order, and I take pictures. This process can help you avoid confusion later when it's time to reassemble your harmonica.

2. Soak the reed plates



Soaking the reed plates in a lightly acidic solution for 15-30 mwithinutes helps loosen and split up any grime left on them from prolonged use. You need a light acidic solution that will do most of the cleaning, sufficient to interact with any kind of stray particles.



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

Here I'll work with a slightly stronger solution of lemon juice and tepid to warm water because of the harsher treatment these harmonicas have seen. But vinegar will continue to work just as well.

Soaking in a stronger mixture is generthelly unnecessary. Cleaning your harmonica is all about using common sense and being careful. Allow vinegar or lemon juice do the majority of the cleaning for the fragile reeds.

3. Clean the cover plates

While the reed plates are soaking, clean the cover plates with rubbing alcohol or really any common instrument thoroughly cleaner. The famous Formula 65 for guitars also cleans a harmonica cover plate beautifully.

Wipe the cover plates, inside and out, with a nice clean cloth. Take care never to bend the plates, which is a possibility with cheaper harmonicas. You may also desire to clean the protect plate screws with alcohol. Just be sure to keep track of where each screw belongs.

4. Clean the comb

[■] We share Hamornica Tabs for Free — Our goal is to have a
website where everyone can find and share all of their
Harmonica Tabs in one central location.Please feel free to
look around and post the harp tabs you have or request ones
you are looking for.



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net



If you have a metal or plastic comb, you can simply wash it under lukewarm water with a little soap and work with a soft brush to clean it. While a gentle scrub with a dry, soft toothbrush is often enough for cleaning wooden combs.

Any appearance of mold or serious discoloration on a wooden comb is normally caused by excess moisture remaining after playing. Playing a moldy harmonica could make you sick, and replacing the comb is frequently wise in such cases.

Some harmonicists advocate applying a little bit of sesame oil on wooden combs after cleaning. Sesame essential oil is known to have antifungal and antibacterial properties, and also providing a moisture barrier. These factors help keep the comb clean and mold-free.

5. Clean the reed plates

After soaking the reed plates, it's time to clean them with the brush. Several vital points to keep in mind listed below



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

are:

- Be gentle. Use the slightest pressure to brush the reed plates.
- Brush down the reeds. Never brush across.
- Avoid bending the reed plates. Even damaging one reed can make your harp pretty much unplayable. And you have to learn how to repair along with cleaning!

To help remove any persistent grime on reed plates, you can also scrub with a bit of baking soda. Limit your baking soda scrub to 30 secuponds roughly, to avoid damaging the final on the reed plates. Then immediately rinse under lukewarm water while lightly brushing downward on the reeds.

Let the chemistry do most of the cleaning. Any difficulty here can be a sign that you haven't taken enough care to regularly clean your harmonica after play. Even my 10-year-old harmonica that is used by children isn't too dirty because easy steps were always taken up to keep it dry and free from particles.

6. Leave the harmonica parts to dry

[■] We share Hamornica Tabs for Free — Our goal is to have a
website where everyone can find and share all of their
Harmonica Tabs in one central location.Please feel free to
look around and post the harp tabs you have or request ones
you are looking for.



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net



Remember that moisture isn't our friend here. And the very last thing we want to do is put the harmonica back together while damp.

Spread the parts of your harmonica from a clean towel to air dry. The components will typically need 20 minutes to one hour to completely dry, based on surrounding humidity.

You may be tempted to dry the parts with a towel by hand. But doing so can leave behind tiny towel fibers, which can result in your mouth later during play. If you're the impatient type, easier to use canned air-usually CO2- to dried out the parts faster.



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

7. Reassemble the harmonica

Reassembling your harmonica ought to be a breeze if you've kept tabs on all the parts.

Take one last look at your reeds to make sure they're dry and have nothing stuck inside them. Then place them back into the comb. Insert the screws in reverse order and avoid overtightening. Ensure everything looks good and put the cover plines on.

You can use a tuner or perhaps a tuning app on your smartphone and check each hole to be sure everything is working fine. Find the right notes for your harmonica key and make certain each blow and draw match with the corresponding notes.

Conclusion

When you take a harmonica apart you'll realize just what a simple instrument it really is. There's no reason to not get good care of it. If you neglect to maintain it, your harmonica can end up being unplayable. And any repairs necessary will most likely cost more than the instrument will probably be worth!

Each time you play your harp make sure to have a clean mouth. When finished tap out any moisture and every now and again give your harmonica a deep clean. In the event that you follow those basic steps, your harmonica can last you for several



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

years!

Care and Maintenance of a harmonica

Basic Harmonica Maintenance — Care and Maintenance of a harmonica

Maintaining your own harps can give you longer lasting harps that play and sound better. Just as guitar players have to change their strings and constantly tune, or sax players have to work with their mouthpiece, harmonica players should be able to set up their instruments to sound good and play well.


Maintenance of a harp most often centers around the reeds, as shown in this picture. The rivets attach the reeds to the reed plates, and the reeds vibrate through slots in the reed plates to generate the sound. The action of the reeds depends on the gap between the reed and its slot in the reed plate.

We share Hamornica Tabs for Free — Our goal is to have a website where everyone can find and share all of their Harmonica Tabs in one central location. Please feel free to look around and post the harp tabs you have or request ones you are looking for.



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net



Diatonic Harmonica Reeds
[toc]

Tuning

Tuning reeds is done by either removing (normally) or adding (infrequently) metal from/to the reeds. Here's how it works

- To raise the pitch of a reed, remove metal from near the reed tip (see above picture). This lightens the tip of the reed, allowing it to vibrate faster, which raises the pitch.
- To lower the pitch of a reed, remove metal from near the reed base (see above picture). This weakens the reed and makes its tip heavier relative to its base, which slows the vibration and lowers the pitch.
- Alternately, to lower the pitch of a reed add *lead-free* solder to the tip of the reed to increase the weight at the tip and cause the reed to vibrate more slowly. It is also possible to increase the weight near the base of the reed to raise the pitch.

You are removing metal from the flat surface of the reed, not



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

at the edges, which would increase the air gap around the reed and cause air loss in the chamber. Various tools can be used for removing metal from the reeds, and different people have their own preferences.

- Small jeweler file
- Small chisel
- •Wet-dry emery type (usually black) fine grained sandpaper
- Dremel-type rotary tool
- Fish-hook sharpener
- Sandpaper pencil

I prefer a Dremel-type rotary tool with a hard rubber disk, which results in a smooth surface, and doesn't remove material as fast as a stone or burr. The Lee Oskar tool kit (around \$30) has all the tools you need for tuning reeds, including a small chisel.

Some people feel that filing a reed (i.e. using a file) can cause striations in the reed that can shorten its life, but manufacturers like Hohner file the reeds to tune them at the factory. I suggest removing small amounts of metal from a large area, minimizing any gouging or scratching or the reeds.

Before attempting to remove metal from a reed, you need to support the reed so you don't push it through the slot. A thin shim like a .003 spark plug feeler gauge works well, as does a razor blade. You can even use a business card—anything



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

small and thin will do.

Be careful not to push the reed sideways in its slot, or the reed won't vibrate freely. Also, be careful about filing the reed edges, which can cause burrs that catch on the slot-edges as the reed vibrates through the slot. If you get a burr you can shave it off gently with a razor blade, or carefully file it off. Support the other side of the reed so you don't get it misaligned when you apply pressure to the reed's edge with the blade or file.

You need to use a chromatic tuner to check the pitch of the note. You may notice small pitch differences between a note played with the cover off and when the cover is in place. As you get experience doing it you'll be able to judge how to read your tuner and end up with the right note. A popular tuner for harp is the Seiko Chromatic AutoTuner model ST-1000.

There are lots of others, both more and less expensive, and even software tuners that use a microphone plugged into your sound card. Many small digital tuners have a mic input, which provides a better signal to the tuner and can help stabilize a "dancing needle" type problem.

If you seldom tune your harps, an inexpensive model is probably just fine, but if you tune a lot it's no good being frustrated by a poor tool. No matter what tuner you use,



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

don't forget to use your ears. Your ears are the final judge as to whether a note is properly in tune... if the tuner says it's perfect but it sounds off to you, you'll probably be happier if you make it sound right to you.

Harmonica reeds often go flat, and sometimes you can tune the reed back up to pitch. However, if the reed has gone flat by a semitone or more, it is probably fractured, and tuning the reed may not work. In fact, it may stress the reed enough to cause it to break—but don't worry, it was broken already.

Many harp players do not tune their harps often enough. With a little practice you'll know just how much metal to remove, and where, and it won't take long at all to get your harp all tuned up.

Caution: be sure to check the tuning with a chromatic tuner first to see what the reference ptich frequency is. Historically, the frequency of an A note is used as the reference frequency, but not everywhere uses the same reference!

A=440 cycles per second is very common, but harps are often tuned to A=441 or 442 or even higher, because harps are often played slightly flat, so tuning them sharp makes the resultant note fit better with other instruments.

If you tune each note exactly to pitch according to your tuner, the result will be in so-called equal temperament.



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

Equal temperament is common on many models of harps, such as the Lee Oskar Major Diatonic and the Hohner Golden Melody. This tuning is optimized for playing single notes and melodies, but the chords will sound a bit out.

To make certain chords sound better, many harps are tuned to a justified (or just) intonation. Just intonation involves modifying the pitch of certain notes to make some chords sound better—but melody notes may sound flat or off key. Various compromised intonations that aren't quite just intonation and aren't equal temperament have been devised to try to work as well as possible for both melody notes and chords.

In addition to keeping your harp in tune, various *special tunings* can be done to provide different notes (without requiring special bending or overbending techniques) and different chords. Examples include the Natural Minor, country tuning, and Lee Oskar's Melody Maker tuning. Using the above procedures, it is relatively easy to build your own specially tuned harps. Pat Missin's web page contains his "Altered States" document, which contains hundreds of different tunings for both the diatonic and chromatic harps.

Just Intonation

Just intonation is a modification to equal temperament that makes chords blend together and sound better. There are many variations to just intonation and an extensive discussion is



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

beyond the scope of these pages. For an extensive discussion of tunings and temperaments, see Pat Missin's web page at: http://patmissin.com/tunings.html.

The following table shows one tuning alteration that produces a just intonation. The values are cents deviations from equal temperament (the raw readings of your chromatic tuner) where negative values mean cents flat and positive values mean cents sharp.

Scale Degree	Root	Third	Fifth	flat Seven	Ninth
Cents Adjustment	0	-14	+2	-32	+4

Adjustment from Equal Temperament for Just Intonation

Notice how much flatter the dominant (flat) 7 (5 draw) note is-almost half a semitone. That?s pretty flat and can sound off when playing melodies instead of chords. There are lots of ways to compromise between pure equal temperament and just intonation.

The idea is to achieve a compromise tuning that sounds good for melodies without rough sounding chords, or analogously, sounds good for chords without melody notes sounding out of tune. Here?s one such compromise:

Scale Degree	Root	Third	Fifth	flat Seven	Ninth
Cents Adjustment	0	-8	0	-8	0

Adjustment from Equal Temperament for Compromise Tuning



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

For the draw reeds, the thirds are 3 and 7, the fifths are 4 and 8, the flat 7ths are 5 and 9, and the ninths are 6 and 10. (The root notes have no adjustments.)

Reed Gapping

A reed gap is the gap between the reed and the slot in the reed plate (see the picture above). The gap height (and shape, or profile) greatly influences how the reed plays: how the harp responds to your breath. A wider gap requires more playing pressure to make the reed sound, and allows more aggressive play before the reed sticks or chokes.

If you attack notes hard, a relatively wide gap can help keep the reed from missing or refusing to sound. A narrower gap allows less air to activate the reed. If you play softly, a relatively small gap will help the reed activate with a soft attack.

If the gap is too small, for instance with the reed tip inside the slot, the reed will refuse to play. Since the reed gaps are so important to the harp action, each player should learn to set the gaps for his/her own style of play.

The reed gaps need to be wider for longer reeds than shorter ones for consistent action. In other words, the low notes should have slightly more gap between the reed and the reed plate than the high notes.



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

In order for the harmonica to play smoothly and uniformly, the response must be consistent for every reed, with the slight gap differences applied for different length reeds. The nominal adjustment is for the gap of the reed tip above the slot to be about the same as the thickness of the reed. Fine tune the gap adjustments from there.

The reed's gap is really the totality of it's distance above the slot along its entire length. This is the area that lets the air flow under the reed and start its vibration. Every bit of the reed should be above the slot in the reed plate, and the distance between the reed and the slot (the gap) should continually increase from the base of the reed to the tip.

If any of the reed dips into the slot, or if the reed arches up and then back down it will not respond properly. If the shape of a reed is wrong, correcting the problem is more difficult and requires more care than the normal setting of the height of the reed tip. You can use small tools to support the reed at different points and work through the slot when necessary to gently bend the reed to make it as flat as you can.

The best shape for the reed is probably as flat as you can get it, though some players prefer a very slight arc up toward the tip. You should be pretty well practiced at gapping your reeds at the tip before you try to work on the reed shape—and



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

as always, it's a good idea to practice on junk harps. Never throw out a broken harmonica.. they're great for practicing gapping and tuning, and they can be used to provide parts you need to fix other harps later.

Harmonica reeds are essentially just brass springs that vibrate through slots in the reed plates to chop the air stream, which produces the sound. To adjust the reed gaps, just use your fingernails or a small tool to *gently* press the reed down, to close the gap, or up to increase the gap.

After an adjustment is made, flick the tip of the reed a few times to get the reed to settle to its rest position—if you don't you can get fooled by the reed position. It can look one way, but revert back to where it was after you play a little—remember, it's a spring.

Flicking the reed tip a few times is a good way to get the reed to settle so you can correctly determine its gap. It's best to bend the reed in very small increments, and not make over adjustments. Slight over adjustments are inevitable, but repeated bending one way, then the other, will weaken the reed and could even cause it to break. The more you do it the more familiar you will become with the characteristics of the brass, and the easier it will be to set the gaps quickly.

By the way, when you go to increase the gap you may want to slide something thin under the reed tip to get hold of the



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

reed. Be careful not to slide anything too far back toward the rivet. If you lift the base of the reed out of the slot you'll probably end up making the reed pitch flat. It is always a good idea to make sure your harps are in tune, and after gapping is a good time to check since you've got the harp open anyway.

Gapping is easy, safe, and a basic requirement for making a harp play well. Factory reeds are set to some average beginner gap, and are usually too wide—and most often inconsistent across the harp. I strongly recommend re-gapping your harps according to your personal playing style and needs.

For overblows, the reeds should be gapped close to the reed plate, i.e. with a small or tight gap. This can be crucial for getting the overblow to sound! An improperly gapped reed will simply refuse to overblow, or at the very least make the overblow difficult and temperamental.

I recommend setting the gap as tight as possible without causing the reed to feel "sticky" (slow to respond) when attacked moderately hard. There is a trade-off between overblow ease and reed action for fast loud play, and you need to find the gap that works best for you. There is no visible difference between a gap that seems perfect and one that just doesn't quite work, so you pretty much have to experiment—gap and try, gap and try.



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

Misaligned Reeds

Misaligned reeds are not straight along the length of their slot, causing part of the reed to catch on the slot, preventing the reed from vibrating properly. You need to get the reed centered in its slot along its entire length, and there is very little clearance. Trying to use a tool to torque the reed back into place can be tricky since the tolerances are so tight, and sideways twisting can easily damage the reed.

A small piece of cigarette paper (or a feeler guage about the same thickness) can be slid between the side of the reed and the edge of the slot to gently nudge the reed back into place. I feel that a very thin piece of paper like that is more likely to break than the reed if something goes wrong, so its less risky than using a tool. You can hold the reed plate up to a light to try to peek at the location of the misalignment.


Embossing Reed Slots

[■] We share Hamornica Tabs for Free — Our goal is to have a
website where everyone can find and share all of their
Harmonica Tabs in one central location.Please feel free to
look around and post the harp tabs you have or request ones
you are looking for.



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net



Embossing a reed slot is a narrowing of the slot in order to reduce the air loss around the sides of the reed. This can make the harp more air tight and increase the responsiveness of the reed. It can also help overblows to respond better.

Embossing is relatively simple. Use a smooth round item harder than brass as a tool (like a socket, the round end of a tuning fork or silverware, or even a penny) and run it along the edges of the reed-side of the reed slots a few times.

If you happen to get the slot too tight so the reed won't vibrate freely or buzzes, run a small "exacto"-type knife or screwdriver blade along the inside of the slot to open it back up a little. Be careful not to mis-align the reed or you'll have to adjust it back so it's centered. A thin shim (0.002") can be used to straighten the reed in the slot and also remove any small burrs that the embossing may have created.



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

Reed Replacement

This section has been graciously provided by master harmonica customizer Bill Romel.

"I find it troublesome that any harmonica tech or instrument modifier would present information that discourages players from performing simple maintenance on their own instruments. Replacing a reed on a diatonic or chromatic harmonica is a relatively simple technique and it does not require any sophisticated equipment.

Equipment can be obtained from most any hardware store or can be purchased for a few dollars from persons technically competent to make the tools.

- A bar of steel about 2 inches wide and perhaps an inch thick with a hole drilled the size of the rivet head will suffice.
- Two pins made of steel, one with a sharp point and one with a flat head will work very well.
- A small ball peen hammer and some spare reed plates,

or today you can purchase new reeds from your Hohner district office. All Hohner reed plates use reeds that are the same in width, that eliminates one problem. Hering has reeds that are within a fraction of a thousandth of fitting on a Hohner plate if necessary. Run a small diamond file along the slide of the reed just once on both sides and you have a replacement reed



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

from a Hering.

I advocate the rivet reed replacement method. Nine out of 10 times it works perfectly. The tenth time there is usually a problem with reed alignment but you can solve that problem with a screw.

The key to the rivet method is removing the reed used as a replacement from a spare reed plate without removing the rivet. Not a problem. Set the rivet head in the hole in the metal block and tap the rivet on the opposite side gently with your ball peen hammer a few times. The rivet will move. Turn the plate over and grasp the head of the rivet with a needle nose pliers and gently twist back and forth a few times and the rivet will release with the reed attached. It works every time.

Once you have obtained the reed you required, remove the old reed that is fractured or broken from your working reed plate.

To install the replacement reed, place the reed plate on the metal block and place the sharp pointed pin into the receiving hole and tap it once with the hammer. Why? It will spread the sides of the rivet hole outward just a very small amount without distorting the hole and allow you to start the new reed and rivet into the hole in the plate. You may be all fingers at this point.

Once the rivet has been started in the hole slide a thin shim



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

under the reed so it will not fall into the slot and will remain relatively straight while you tap the rivet into the plate with the flat head steel pin and your trusty ball peen hammer. The reed will be loose in the hole.

Next is to set the rivet as my machinist friend use to say. Turn the plate over and place it on the flat surface of the metal block so the rivet head is flat on the surface. If the shaft of the rivet is protruding in the opposite side of the plate, then we must flatten it out with the flat head steel pin.

Turn the plate over and lay the head of the rivet on the metal block. Hold the plate steady and with the flat head pin resting on the protruding rivet body strike the pin a few times until the rivet is flat.

Now we will set the rivet with the sharp pointed pin. Place the point of the steel pin on the rear end of the rivet as close to the center as you can. Secure the reed plate and steel pin with one hand and strike the sharp pointed steel pin about two to three times with the hammer. This will cause the body of the rivet to expand sufficiently to be tight in the hole. Check the reed to ascertain that it is secure and tight. You may have to align the reed with a reed wrench and generally you will have to do some touch up tuning.

Thirty years of experience and trying all methods has



Website: www.harmonicatabs.net


Email: contact@harmonicatabs.net

convinced me that this is still the best method of reed replacement. Granted there will be times when a screw is necessary due to misalignment but it is the rare occurrence. I like the 0-80 Phillips Round Head stainless steels screws for this problem. Just tap the plate and drill out the reed. It is done in a few minutes.

Regards,

Bill"

Valves



On harmonicas, "valves" are flaps attached to the reed plate at the rivet over the slot opposite the reed. See the picture above. They are made out of a thin plastic strip, or pair of strips, though they used to be made of other materials such as leather.

Valves are most often found on chromatic harmonicas, on which they are usually called windsavers. They do indeed function as valves, blocking the air stream during a draw from entering through the blow reeds (and vice versa for draw reeds) while allowing the air stream during a blow to exit via the blow-



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

reed slot (again vice versa for draw reeds).

And since they block the air stream from the opposite reed, less air is required overall to play a reed—thus they save wind, which is important on most chromatics because their mouthpieces and slide a*semblies typically leak substantial amounts of air. Windsavers on chromatic are normally present for every reed, sometimes with the exception of the very highest notes.

Such is not the case on diatonics, which are generally much more air tight than their chromatic cousins. The valves on diatonics are not used as windsavers. They are used to facilitate valved bends.

A valved-bend is simply a bend on a reed whose paired-reed (i.e. in the same chamber) is valved. On the diatonic, not all reeds are valved. The valves are used to obtain bends not normally available on the diatonic harp. Normal bends are draw bends on holes 1 through 6, and blow bends on holes 7 through 10. A valved diatonic allows all the regular bends, plus blow bends on holds 1 through 6, and draw bends on holes 7 through 10. So, when valving a diatonic harp, the flaps are placed as follows:

- Over the slots opposite the draw reeds on holes 1-6
- Over the slots opposite the blow reeds on holes 7-10.

The valves for holes 1-6 are inside the reed chambers, so the



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

bottom reed plate must be removed before the valves can be installed.

Installation is simply a matter of using super glue to attach the plastic flaps to the reed plate at the rivet point on the other side of the plate from where the reed is attached. Only a tiny amount of super glue should be applied to the valve, and care must be taken not to get glue on the reeds!

A small amount of glue should be put on a small slip of paper or plastic, and the end of valve should be dipped into the glue in order to control the amount of glue applied and make sure you don?t get too much. If you try to squeeze the glue out of a tube onto the reed plate, you're sure to get too much and have problems!

There are both single layer and double layer valves. Double layer valves have a slightly shorter, stiffer, usually clear plastic "spring" to help keep the actual valve layer flat over the slot. The double-layer valves are installed stiff side up. A good tip is to put a small kink about one third the way back from the tip of the stiff plastic layer so that the tip bends in to push harder on the actual flap layer, holding it down tighter so it lies flatter.

Some single layer valves have one side textured and one side smooth. The textured side goes toward the reed plate to help keep the valve from sticking to the plate. If there a dimple



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

in one end of the valve, that sits over the rivet to help put the valve as close to the reed plate as possible.

You can buy valves from Hohner, Bill Romel, John Infande, and probably other harp customizers, or you can make your own. In some sense, valves have not been perfected, and they frequently can rattle or buzz. One of the best materials to use for valving is a thin (0.003) mylar covered with 3M Micropore tape. The tape side goes down, toward the plate, which helps reduce sticking, popping, buzzing, etc. The valves should be trimmed to just barely cover the slot they're on top of.

Take care when reassembling the harmonica that the comb does not interfere with the free operation of the valves. If the comb keeps the valve from lifting during play, the reed won't sound, or won't sound right.

Valved bends are a little different than normal diatonic bends. During a normal bend, both reeds in the chamber can participate to produce the characteristic gutsy sound. These dual-reed bends tend to "snap" into place at the lowest note available. Valved bends are more delicate and require more control to execute cleanly and clearly on pitch. Only one reed participates in the generation of the sound, since the other reed is blocked by the valve. It is especially important *not* to attack the bend hard when you initiate it, otherwise it will choke off and not sound. It is also very



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

important to bend "from your diaphragm" using resonance for valved bends. A pinching of the lips will not produce a good valved bend. Valved bends can be done on the chromatic, as well as a valved diatonic.

The only commercially available valved diatonic at this time is the valved Suzuki ProMaster (or the semi-chromatic Hohner Slide Harp). But, with a little practice valving your own harp will only take 5 or 10 minutes.

Valve Problems

Valve can stick, buzz, rattle, and generally be a nuisance. Cleaning harps with valves takes extra care to avoid knocking off the flaps. Many valve problems are caused by twisted, curled, or bent flaps that don?t lie flat. Many times replacing the valve is the only way to fix a problem. Be careful when you install new valves that any textured side is toward the reed plate, and that the flap is as flat as possible. If it is a 2-layer valve, the stiff plastic goes on top to act as a spring to return the softer flap so it lies flat over the slot.

If the valve is sticking (possibly making a popping sound) there are a couple of things to try. First, tear a small piece of newspaper, moisten it, and slide it between the valve and the reed plate. Sometimes dried saliva is causing the flap to stick, and the wet rough paper can dissolve the "glue" and clean the flap without pulling it off. It sometimes seems to



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

help to make small scratches in the reed plate where the valve hits it to break up the smooth surface to help prevent sticking due to "suction" (surface tension).

Since many sticking problems are due to moisture condensation of your warm breath on the cool harp, it greatly helps to warm up the harmonica before you play it. There are many ways to do that, including wrapping your harp in a warm heating pad for 10 or 15 minutes before you play, or even setting the harp on a warm stereo or TV monitor for a few minutes.

Harp Setup for Chromatic Play Using Valves And Overblows

Overblows and overdraws (overbends) work by choking the reed that normally plays for the airflow direction (blow or draw) and activating the other reed to play as an opening reed. For overblows, this means the blow reed is choked so as not to sound, and the draw reed is activated to produce the sound. Using overblows and overdraws it is possible to get full chromatic capability out of a diatonic harp, just as with valved bends.

Valves interfere with overbends. For example, if a draw reed has been valved, an overblow is not possible in that chamber because the airflow cannot reach the draw reed during a blow. The bottom line is that you can't play valved bends and overbends in the same chamber.



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

Valving the draw reeds in holes 1, 2, 3, and the blow reed in hole 8, is the optimal way to valve a harp while still allowing full chromatic play without losing the most useful overblows.

Storage

Your harps should be stored so that they dry out thoroughly after being played. It is a good idea to tap the harp on the palm of your hand first, to get out as much moisture as you can before putting the harp away. Don't store your harps in unvented plastic boxes, which unfortunately some of them come in. This keeps them from drying out quickly and can lead to corrosion and reed fatigue. If you store them with the holes down the moisture will be able to run down out of the harp instead of drying inside it. Dried saliva is the primary culprit in gunked-up harps, and can keep the harp from playing right and sounding its best.

Cleaning

Occasionally it is a good idea to clean your harps since gunk (the official name..) builds up inside the holes and on the reeds and reed plates. Saliva is sticky stuff, but fortunately it's water based and so is best dissolved in water. You don't need to use alcohol or harsh chemicals to clean your harp, and you certainly shouldn't use anything you wouldn't want anywhere near your mouth—just use water to clean



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

your harps.

I don't think how you clean your harp is particularly critical, or recommend any specific period of time between cleanings. Each person's playing habits, body chemistry, and tolerance for gunk is different. Obviously, if something is interfering with the way the harp plays you need to take care of it. If that means some fuzz is lodged in there causing a reed not to respond you need to remove the foreign material. If you use a brush, make sure to stroke in the direction of the reeds so you don't cause them to be misaligned by pushing them sideways (not along the slot length). An electric-shaver type brush works well for brushing out the dried gunk from inside the harp holes, but even a toothpick can be used pluck out any offending material.

Caution: wood comb harps (mainly the Hohner Marine Band) are <u>not</u> good to get wet, certainly not for very long. Some people swear by soaking their wood comb harps, and others swear at it—bottom line, the comb will swell and dry out, and upon drying be more inclined to crack, split, or warp. The swelling sometimes will push the comb teeth out beyond the mouthpiece making it very uncomfortable to play. A swollen comb probably eliminates some air leaks, but once soaked you pretty much have to soak it every time or it won't be playable, and the life of the harp is greatly reduced. I recommend against soaking wood comb harps.



Website: www.harmonicatabs.net

Email: contact@harmonicatabs.net

Soaking plastic or metal comb harps presents no such problems, since neither the plastic nor metal absorb moisture, swell, or shrink. Prolonged or very frequent soaking can increase corrosion on the reeds and may reduce their overall life, but periodic cleanings shouldn't cause problems. Some people report good success putting their harps (not wood!) in a dishwasher for a short time, say 5 minutes or so, using only a small amount of dishwasher detergent (like a tablespoon). I've found that a quick soak in some denture cleaning solution does a pretty good job. Be sure to shake the excess water out of harp when you're done.

Sharp Edges

Some harps have reed plates that extend slightly beyond the comb and covers, and sometimes these plates have sharp edges that bother people's lips. The outside parts of the harp are not that delicate.. if there's a sharp edge, file it smooth or sand it with fine grained emery type wet/dry paper. If a corner feels too sharp or rough you can safely sand it down or round it out by pressing it firmly onto a hard surface.

[■] We share Hamornica Tabs for Free — Our goal is to have a
website where everyone can find and share all of their
Harmonica Tabs in one central location.Please feel free to
look around and post the harp tabs you have or request ones
you are looking for.